VIRGINIA STANDARDS OF LEARNING

Spring 2004 Released Test

END OF COURSE CHEMISTRY

Large Print Form

Property of the Virginia Department of Education

Copyright © 2005 by the Commonwealth of Virginia Department of Education, James Monroe Building, 101 N. 14th Street, Richmond, Virginia, 23219. All rights reserved. Except as permitted by law, this material may not be reproduced or used in any form or by any means electronic or mechanical, including photocopying or recording, or by any information storage and retrieval system, without written permission from the copyright owner. Please contact the Commonwealth of Virginia Department of Education at (804) 225-2102, Division of Assessment and Reporting, to request written permission.

Printed in the United States of America

ISBN 999-8239-29-X

Chemistry

DIRECTIONS

Read each question carefully and choose the best answer.

SAMPLE

Which of the following is a balanced equation?

- $A \quad H_2 \, + \, Br_2 \rightarrow 2HBr$
- $B H_2 + Br_2 \rightarrow HBr$
- $C H_2 + 2Br_2 \rightarrow 2HBr$
- $D \quad 2H_2 + Br_2 \rightarrow HBr$

- 1 If a student needed to obtain 8.0 mL of a liquid for an experiment, the appropriate piece of laboratory equipment to use would be a
 - A 50 mL beaker
 - B 1.0 mL pipet
 - C 50 mL flask
 - D 10.0 mL graduated cylinder

- 2 How many grams of sodium chloride are required to prepare 500.0 mL of a 0.100 M solution?
 - F 1.46 g
 - G 2.93 g
 - H 29.3 g
 - J 58.5 g

- 3 Which of the following BEST describes why an experiment should be repeated?
 - A To organize the data
 - B To produce a variety of results
 - C To include another variable
 - D To verify the observed results

4 Which of these is the general formula for a double-replacement reaction?

$$F A + B \rightarrow AB$$

$$G AB + XY \rightarrow BA + YX$$

$$H AB + XY \rightarrow AY + XB$$


$$\mathsf{J} \quad \mathsf{A} + \mathsf{B} + \mathsf{X}\mathsf{Y} \to \mathsf{A}\mathsf{X} + \mathsf{B}\mathsf{Y}$$

- 5 The correct formula of an ionic compound containing Al^{3+} and CO_3^{2-} is
 - A AICO₃
 - B $Al(CO_3)_3$
 - $C Al_2(CO_3)_3$
 - D $Al_3(CO_3)_2$

6 Which of the following orbital diagrams is INCORRECT because it violates Hund's rule?

G $\frac{\uparrow\downarrow}{1s}$ $\frac{\uparrow}{2s}$ $\frac{}{2p_x}$ $\frac{}{2p_y}$ $\frac{}{2p_z}$

H $\frac{\uparrow\downarrow}{1s}$ $\frac{\uparrow\downarrow}{2s}$ $\frac{\uparrow\downarrow}{2p_x}$ $\frac{\uparrow}{2p_y}$ $\frac{1}{2p_z}$



The graph shows the rate of a certain reaction as a function of temperature. According to the graph, in order to double the rate of the reaction at 20°C, the temperature must be INCREASED by approximately

- A 10°C
- B 20°C
- C 30°C
- D 40°C

Aluminum + Sulfuric Acid
$$\rightarrow$$
 Aluminum Sulfate + Hydrogen Gas

Which of the following is the balanced chemical equation for the reaction shown above?

F Al +
$$H_2SO_4 \rightarrow Al_2(SO_4)_3 + H_2$$

G 2Al + $3H_2SO_4 \rightarrow Al_2(SO_4)_3 + 3H_2$
H 2Al + $3H_2SO_4 \rightarrow Al_2(SO_4)_3 + H_2$
J 2Al + $H_2SO_4 \rightarrow Al_2(SO_4)_3 + H_2$

Turn the page and continue working.

MATERIALS SAFETY DATA SHEET


1.PRODUCT IDENTIFICATION PRODUCT NAME HYDROCHLORIC ACID FORMULA HCI FORMULA WT 36.48 **EFFECTIVE 08/07/86** REVISION # 02 PRECAUTIONARY LABELING BAKER SAF-T-DATA (TM) SYSTEM **HEALTH 3 - SEVERE (POISON)** FLAMMABILITY 0 - NONE **REACTIVITY 2 - MODERATE CONTACT 3- SEVERE (CORROSIVE)** HAZARD RATINGS ARE 0 TO 4 (0 = NO HAZARD; 4 = EXTREME HAZARD)LABORATORY PROTECTIVE EQUIPMENT GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES PRECAUTIONARY LABEL STATEMENTS POISON DANGER CAUSES SEVERE BURNS MAY BE FATAL IF SWALLOWED OR INHALED DO NOT GET IN EYES, ON SKIN, ON CLOTHING. DO NOT BREATHE VAPOR. CAUSES DAMAGE TO RESPIRATORY SYSTEM (LUNGS), EYES AND SKIN. KEEP IN TIGHTLY CLOSED CONTAINER. LOOSEN CLOSURE CAUTIOUSLY. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. IN CASE OF SPILL NEUTRALIZE WITH SODA ASH OR LIME AND PLACE IN DRY CONTAINER. If a lab group were using hydrochloric acid to perform a substitution reaction, which precaution would NOT be a concern?

- A Flammability
- **B** Health
- C Reactivity
- D Contact

$$W + X \rightarrow Y + Z$$

How many grams of product Z will be formed if 12.0 g of W react with 10.0 g of X to form 8.0 g of product Y in the reaction shown?

- F 8.0 g
- G 10.0 g
- H 12.0 g
- J 14.0 g



The figure above shows a compound containing hydrogen (H) and an unknown element Z. To which group on the periodic table does element Z belong?

- A 13
- B 14
- C 15
- D 16

12 First measurement: 6.293 g

Second measurement: 6.294 g

Third measurement: 6.295 g

A student obtained these data after measuring the mass of an object three different times. If the true value of the object's mass is 5.550 g, these data are best described as

- F precise but not accurate
- G accurate but not precise
- H accurate and precise
- J neither accurate nor precise

- 13 Which of the following is the name of the molecule PCl₃?
 - A Phosphorus trichloride
 - B Phosphorus chloride
 - C Potassium trichloride
 - D Potassium chloride

- 14 What is the MAIN similarity among elements in group 2?
 - F Atomic radius
 - G Chemical properties
 - H Mass number
 - J Boiling point

Trial	Mass (g)	Volume (cm ³)	Density (g/cm ³)
1	14.5	2.52	5.75
2	28.3	4.80	5.90
3	33.1	5.75	5.76
4	55.4	9.62	5.76

A team of chemistry students made the above measurements and density calculations of the same type of material. The accepted value (true value) of the density of the material is 5.72 g/cm³. Which trial has the LEAST amount of absolute error?

- A 1
- B 2
- C 3
- D 4

16 The gas with the largest volume at STP is

- F 10.0 g He
- G 10.0 g Ne
- H 10.0 g Ar
- J 10.0 g Kr


17 A neutral atom of aluminum-27 contains

- A 13 protons and 27 electrons
- B 14 protons and 13 neutrons
- C 13 electrons, 13 protons, and 14 neutrons
- D 13 electrons, 14 protons, and 13 neutrons

- 18 Which of the following could cause a gaseous substance to liquify?
 - F An increase in pressure
 - G An increase in volume
 - H An increase in temperature
 - J A decrease in number of moles



19 The appropriate model for a decomposition reaction is



$$\mathsf{B} \bigcirc + \bigcirc \rightarrow \bigcirc$$

$$c \rightarrow + \rightarrow + \bigcirc$$

$$D \bigcirc + \bigcirc \bigcirc \rightarrow \bigcirc \bigcirc + \bigcirc \bigcirc$$

- 20 According to Charles' law, the volume of a fixed amount of gas is directly proportional to
 - isoelectric mixture
 - vapor concentration
 - barometric pressure Н
 - kelvin temperature



Elements	Protons	Neutrons	Electrons
1	11	12	10
2	1	0	2
3	15	16	15
4	20	20	18

Which of the above elements is a positive ion with a charge of one?

- A 1
- B 2
- C 3
- D 4

22 The energy required to melt a solid into a liquid is called

- F heat of vaporization
- G heat of fusion
- H cooling curve
- J triple point

23 Cations are formed when neutral atoms lose

- A electrons
- B protons
- C neutrons
- D positrons


24 What is represented by the pH of a solution?

- F Partial pressure of hydrogen ions in the solution
- G Electronegativity of dissociated hydrogen ions in the solution
- H Concentration of hydrogen ions in the solution
- J Temperature of hydrogen ions in the solution

25 The formula for dinitrogen tetroxide is

- A N_2O_4
- $B N_3O_3$
- $C N_2O_2$
- D NO

- Industrial deep-sea divers must breathe a mixture of helium and oxygen to prevent a disorienting condition known as nitrogen narcosis. If a diver's tank is filled with a helium-oxygen mixture to a pressure of 170 atmospheres and the partial pressure of helium is 110 atmospheres, the partial pressure of the oxygen is
 - F 60 atm
 - G 110 atm
 - H 140 atm
 - J 280 atm



The figure shows an experimental setup used to separate the components of a colored ink sample. Which of the following describes this laboratory technique?

- A Chromatography
- **B** Filtration
- C Decanting
- **D** Distillation

- 28 Which of the following properties decreases from left to right across a period?
 - F Atomic number
 - **G** Electronegativity
 - **H** Atomic radius
 - J Ionization energy

- 29 A sample of nitrogen occupies 10.0 liters at 25°C and 98.7 kPa. What would be the volume at 20°C and 102.7 kPa?
 - A 7.87 L
 - B 9.45 L
 - C 10.2 L
 - D 10.6 L

30 What is the correct Lewis dot structure for arsenic?

- F As
- G:As.
- H ·As·
- J :As:

- 31 The empirical formula for a substance is CH₂. If the molecular mass of the substance is 56, the molecular formula is
 - A C_2H_4
 - $B C_3H_6$
 - $C C_4H_8$
 - D C₅H₁₀

32 $H_2O(I) \leftrightarrow H_2O(g)$

Water molecules in a sealed jar are in a state of dynamic equilibrium because water vapor molecules

- F are condensing at the same rate that others are evaporating
- G cease to form when the air in the jar becomes saturated
- H are evaporating faster than they are condensing
- J form only at high temperatures




The diagram shows the structural formula of benzene.

The empirical and the molecular formulas of benzene
are, respectively

- A CH, C₂H₂
- B CH, C_3H_3
- C C_3H_3 , C_6H_6
- D CH, C_6H_6

- HNO₃?
 - F 1
 - G 2
 - H 14
 - J 28

- 35 Which basic lab technique involves the separation of a mixture's components through differences in particle size?
 - A Filtration
 - **B** Extraction
 - **C** Distillation
 - **D** Crystallization



The graph shows the pressure of an ideal gas as a function of its volume. According to the graph, increasing the volume from 100 mL to 150 mL

- F decreases the pressure by 80 kPa
- G decreases the pressure by 160 kPa
- H increases the pressure by 80 kPa
- J increases the pressure by 160 kPa


$$AI + HCI \rightarrow AICI_3 + H_2$$


When the above equation is balanced, the coefficient of the hydrochloric acid will be

- A 2
- B 3
- C 4
- D 6

- 38 Which of the following occurs when a reaction in a solution is at equilibrium and more product is added to the solution?
 - F Equilibrium shifts to produce more product
 - G Equilibrium shifts to produce more reactant
 - H No change will occur
 - J The reaction will stop

Environment 1 Environment 2





Each balloon was filled with an identical number of moles of gas. Which of the following BEST explains why balloon B is larger than balloon A?

- A The gas in balloon A is under less pressure.
- B The gas in balloon A is warmer.
- C The gas in balloon B is under more pressure.
- D The gas in balloon B is warmer.



40 The atomic number corresponds to an atom's number of


protons

G neutrons

H electrons

J positrons





The line represents water. If the atmospheric pressure in a flask is lowered to 70 kPa, water would boil at what temperature?

- A 32°C
- B 70°C
- C 92°C
- D 100°C

- 42 How many moles of copper are equivalent to
 - 3.44×10^{23} atoms of copper?
 - F 0.571 moles
 - G 1.75 moles
 - H 5.41×10^{21} moles
 - J 5.71×10^{22} moles

- 43 Which element naturally occurs as a diatomic molecule?
 - A Zn
 - B C
 - C K
 - D H

44 What is the molar mass of $Al(NO_3)_3$?

- F 57 g/mol
- G 103 g/mol
- H 165 g/mol
- J 213 g/mol

45 What shape does the molecule BF₃ have?

- A Bent
- **B** Linear
- **C** Tetrahedral
- D Trigonal planar

- 46 What is the mass in grams of one mole of sulfur dioxide (SO₂)?
 - F 48.1 g
 - G 64.1 g
 - H 80.1 g
 - J 96.1 g

$$Ca(OH)_2 + Al_2(SO_4)_3 \rightarrow$$

 $CaSO_4 + Al(OH)_3$

When the above equation is balanced, the coefficients in order are

- A 1, 1, 1, 1
- B 2, 1, 1, 2
- C 3, 1, 3, 2
- D 3, 2, 2, 1

48 Solid magnesium has a specific heat of 1.01 J/g°C. How much heat is given off by a 20.0 gram sample of magnesium when it cools from 70.0°C to 50.0°C?

F 202 J


G 404 J

H 808 J

J 1010 J

2NO(g) + O₂(g) \rightarrow 2NO₂(g) Δ H = -27 kcal

Which graph represents the reaction shown above?



How should 0.000365 be expressed in proper scientific notation?

$$F 3.65 \times 10^4$$

$$J = 3.65 \times 10^{-4}$$

Answer Key

Test Sequence	Correct Answer	Reporting Category	Reporting Category Description	
1	D	001	Scientific Investigation	
2	G	004	Molar Relationships	
3	D	001	Scientific Investigation	
4	Н	003	Nomenclature, Chemical Formulas, and Reactions	
5	С	003	Nomenclature, Chemical Formulas, and Reactions	
6	Н	002	Atomic Structure and Periodic Relationships	
7	В	001	Scientific Investigation	
8	G	003	Nomenclature, Chemical Formulas, and Reactions	
9	A	001	Scientific Investigation	
10	J	004	Molar Relationships	
11	С	003	Nomenclature, Chemical Formulas, and Reactions	
12	F	001	Scientific Investigation	
13	A	003	Nomenclature, Chemical Formulas, and Reactions	
14	G	002	Atomic Structure and Periodic Relationships	
15	A	001	Scientific Investigation	
16	F	004	Molar Relationships	
17	С	002	Atomic Structure and Periodic Relationships	
18	F	005	Phases of Matter and Kinetic Molecular Theory	
19	A	003	Nomenclature, Chemical Formulas, and Reactions	
20	J	005	Phases of Matter and Kinetic Molecular Theory	
21	A	002	Atomic Structure and Periodic Relationships	
22	G	005	Phases of Matter and Kinetic Molecular Theory	
23	A	002	Atomic Structure and Periodic Relationships	
24	Н	004	Molar Relationships	
25	A	003	Nomenclature, Chemical Formulas, and Reactions	
26	F	005	Phases of Matter and Kinetic Molecular Theory	
27	A	001	Scientific Investigation	
28	H	002	Atomic Structure and Periodic Relationships	
29	В	005	Phases of Matter and Kinetic Molecular Theory	
30	Н	003	Nomenclature, Chemical Formulas, and Reactions	
31	C	003	Nomenclature, Chemical Formulas, and Reactions Nomenclature, Chemical Formulas, and Reactions	
32	F	003	Nomenclature, Chemical Formulas, and Reactions Nomenclature, Chemical Formulas, and Reactions	
33	D	003	Nomenclature, Chemical Formulas, and Reactions	
34	J	004		
35	A	001	Molar Relationships	
36	F	001	Scientific Investigation	
3 0	D	003	Scientific Investigation	
38	G	003	Nomenclature, Chemical Formulas, and Reactions	
39	D	005	Nomenclature, Chemical Formulas, and Reactions	
	F		Phases of Matter and Kinetic Molecular Theory	
40		002	Atomic Structure and Periodic Relationships	
41	С	005	Phases of Matter and Kinetic Molecular Theory Molecular Deletionships	
42	F	004	Molar Relationships	
43	D	002	Atomic Structure and Periodic Relationships	
44	J	004	Molar Relationships	
45	D	003	Nomenclature, Chemical Formulas, and Reactions	
46	G	004	Molar Relationships	
47	C	003	Nomenclature, Chemical Formulas, and Reactions	
48	G	005	Phases of Matter and Kinetic Molecular Theory	
49	В	003	Nomenclature, Chemical Formulas, and Reactions	
50	J	001	Scientific Investigation	

 \vdash

